

BC HOME + GARDEN SHOW

FIRE DEPARTMENT REGULATIONS

Aisles, exits and ramp access or egress as designated on approved show plans shall be kept clean, clear and free from obstructions.

Easels, signs, etc. cannot be placed in aisles beyond booth area.

Combustibles

Any internal combustion engines, vehicles or equipment must not contain more than one quarter (1/4) tank of gasoline or fuel and must be inoperable; e.g. battery and/or ignition disconnected. Fuel caps must be locked shut.

Exhibitor display literature must be limited to reasonable quantities. Reserve supplies should be kept in closed containers and stored in a neat and compact manner.

Client shall be responsible for ensuring combustible rubbish is removed from exhibit booths on a daily basis.

All decorations, drapes, signs, banners, acoustical materials, hay, straw, moss, split bamboo, plastic, cloth and similar decorative materials must be flame retardant to the satisfaction of the Fire Marshall's office.

Oilcloth, tarpaper, sisal paper, nylon, orlon and certain other plastic materials that cannot be made flame retardant, are prohibited.

Table coverings must be flame treated unless they lie flat, with an overhang of no greater than six (6) inches (15cm).

Fire Lanes

Fire lanes must be kept clean and unobstructed; vehicular traffic should be controlled by BC Place Security during move-in/move-out.

Fireworks/Pyrotechnics

BC Place must be advised, in writing, of your intention to use special effects and/or pyrotechnics. The Client must obtain BC Place approval before such special effects and/or pyrotechnics is allowed. A demonstration may be required in order for approval to be given by your event Manager or Fire Marshall. In all cases, the Client must provide adequate insurance including extra coverage to be provided by the pyrotechnics company.